









### **Other Important Frameworks**

### CCP4 [CCP4 1994]

Collaborative Computational Project, No. 4, (CCP4) is a suite for protein crystallography. It "is a set of separate programs which communicate via standard data files". Many programs have been adapted to CCP4 file formats

#### XML [Bray, Paoli, Sperberg-McQueen 98]

The eXtensible Markup Language is a text-based approach to marking up documents that has become a standard tool for managing data about data (metadata), e.g. in PDBML and CML.

14 August 2007 Bernstein: Current Status imgCIF

## **Other Important Frameworks**

#### NeXus [Klosowski et al. 1998].

"NeXus is a data format for the exchange of neutron and synchrotron scattering data between facilities and user institutions. It has been developed by an international team of scientists and computer programmers from neutron and X-ray facilities around the world. The NeXus format uses the hierarchical data format (HDF) that is portable binary, extensible and self-describing. The NeXus format defines the structure and contents of these HDF files in order to facilitate the visualization and analysis of neutron and X-ray data. In addition, an application program interface (API) [was] produced in order to simplify the reading and writing of NeXus files. The details of the format are available at http://www.neutron.anl.gov/NeXus/".

Bernstein: Current Status imgCIF

14 August 2007

8

10

















|   | People Involved  |           |
|---|--|-----------|
| Frances C. Ber                            | nstein   |           |
| imgCIF Works<br>Dowling: H.<br>BNL: Rober | JB   |           |
| Boycheva, G                               | lege: HJB, Isaac Awuah Asiam.<br>eorgi Darakev, Nikolay Darakev,<br>Jan Jia, Greg McQuillan, Dan O'l<br>ov | , John    |
| RIT: Paul A.                              | <b>ct:</b><br>I <b>lege: ARCiB Lab group</b><br>Craig, Jared Carter, Brett Hanso<br>harlie Westin          | on, Scott |
| And many mo                               | re over the years.   |           |
| 14 August 2007                            | Bernstein: Current Status imgCIF   | 19        |



















Bernstein: Current Status imgCIF

details about each frame of data DIFFRN\_DETECTOR information about each detector DIFFRN\_DETECTOR\_AXIS information about each detector axis DIFFRN\_DETECTOR\_ELEMENT layout of detector elements DIFFRN\_MEASUREMENT goniometer information DIFFRN\_MEASUREMENT\_AXIS

DIFFRN\_MEASUREMENT\_AXIS information about each goniometer axis





#### CIF Syntax A collection of data blocks Each data block contains data names (tags) and their values White space delimits tokens Tags start with a leading underscore ("\_") to distinguish them from values Tags start with a leading underscore ("\_") to distinguish them from values Tags start with a leading underscore ("\_") to distinguish them from values Tags start with a leading underscore ("\_") to distinguish them from values Tags start with a leading underscore ("\_") to distinguish them from values to distinguish the confused with data names or keywords or that contain whitespace are quoted Guoting single quote (single line only) semicolon in column 1 (multiple lines OK) terminal quote mark must be followed by whitespace

Bernstein: Current Status imgCIF

14 August 2007













### Is the Problem Real?

Date: Sun, 07 Jan 2007 11:25:26 +0900

From: Charlie Bond <Charles.Bond@uwa.edu.au> To: ccp4bb@dl.ac.uk

... Often at the synchrotron one is in a tired hurry to get an image indexed and processed. If the wrong parameters are used (eg the ones from the home lab with a bit of editing), a dataset in the wrong hand can be quickly produced 'Increasingly beamlines automatically prepare the correct

- "Increasingly beamlines automatically prepare the correct parameter files for you, but it is cases where images are difficult to process (low resolution, disorder) that processing may occur later at home and the details of the beamline may be disregarded. "Correct me if I'm wrong, but even the denosition of images
- "Correct me if I'm wrong, but even the deposition of images would not help this as the critical information is the geometry of the beamline set up which is probably not recor[d]ed with the images.

Bernstein: Current Status imgCIF

14 August 2007



# Frequently Asked Questions (Cont.) The BIG Frequently Asked Question Can I make proprietary software using imgCIF and CBFlib?

Yes, the API in CBFlib is available under the LGPL.

If you change CBFlib itself, you must publish the changed source code under the LGPL, but even if you change CBFlib, you do not have to make your program into an open source program.

14 August 2007

Bernstein: Current Status imgCIF

43

How to Make Changes to the imgCIF Dictionary
1. Get the best current version of the dictionary from the IUCr
2. Check that what you propose is not already there, or if there is at least an appropriate category
3. To avoid conflicts with others doing the same thing, get a prefix from Brian McMahon (bm@iucr.org)
4. If you are going to be sending files to other people, discuss your new definition with them and, please, on the imgcif-I list
5. If this will remain just a local change, use it in good health
6. If you think this should be added to the main dictionary for community use, please say so on the imgcif-I list, and, if appropriate, on other lists
7. If there is sentiment to add it to the main imgCIF dictionary, we will post a revised dictionary for comments, and then, if the dictionary working group agrees, forward the dictionary to COMCIFS for adoption

14 August 2007 Ber

Bernstein: Current Status imgCIF













